

MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

	ON TO DRILL	☐ DEEPEN	U PLU	G BACK	M FOR AN O	IL WELL	OR GAS WELL
PAME OF COMPANY OR						DATE	
ENSE ORO	THERS WRI	LUNG Co, I	LUC.				
P.O. Box	(551			RICKTOU	11	STATE	ZIF CODE
DESCRIPTION	OF WELL AND	LEASE	INLUE	RICETOU		MO	63645
NAME OF LEASE	0		WELL NUMBER	WEDELL	PMENTAL	ELEVATION (GROUND)
W.R. M	CMAHON,	ETUX		2 PER FA	× 7/80/93)	947/7	000)
cooning				FROM SECTION LINE			
VELLEDICATION	SECT	FT. FROM	S) SECTION LINE	330	FEET FROM (E)	SECTION LINE	
NE/4 S	E/4 .5	-	43N		33W	CASS	
EAREST DISTANC	E FROM PROPOSE	D LOCATION TO PE		LINE	Z'FEET	1 (7)33	e esta sulla successiva de compressa de comp
ROPOSED DEPTH	ROPOSED LOCATION		ALLING, COMPLETE	D OR APPLIED	- FOR WELL ON THE		330 FE
325	Y'e	ENSE BROS-V	R8.Co. IN	2 · 63640 PC	TARY OR CABLE TOOLS	APPROX. DATE WORK	WILL START
UMBER OF ACRES IN L					41R (KOTARY	ON PE	ruit_
40	NUN	BER OF ABANDON	ED WELLS ON LEAS	F PIS WELL, CO	MPLETED IN OR DA	ILLING TO THIS RES	SERVOIR
LEASE PURCHAS	ED WITH ONE OR	MORE WELLS DRILL	ED, FROM WHOM P	URCHASED?		THO OF WELLS	nonueura 1
AME		N/A			•	NO OF WELLS: P	INJECTIONQ
DDRESS		-					INACTIVE _O
		SINGLE WELL	-	IN	Z DI ALIVET DO		BANDONED
STATUS OF E		AMOUNT \$		1	BLANKET BO AMOUNT \$ 2		ON FILE D ATTACHED
ROPOSED CASI				APPROVED C	ASING - TO BE	FILLED IN BY STA	TE GEOLOGIST
50	SIZE	WT/FT	CEM.	AMOUNT	SIZE	WT/FT	CEM.
DIO SURF.	41/20	17 LB.	TO SURF	11	<u></u>		"
	1/2	16500.	10 JURF				
		1					
the undersigne	d, state that I ar	n the ASSISTA	UT VICE TR	ESIDENT	_ of the PENS	F BROS DRA	Pa 4 10
	hat I am author	ized by said con				a minus appear	Co. Lence
ompany), and I	mat ram admor	ized by said con	ipany to make the	his report, and	that this report	was prepared un	der my supervisio
ompany), and l	that the facts s	tated therein are	ipany to make tl true, correct, a	his report, and	I that this report the best of my	was prepared un	nder my supervisio
ompany), and the direction and	Blance	tated therein are	ipany to make tle true, correct, a	his report, and	that this report	was prepared un	nder my supervisio
iompany), and the direction and the same of the same o	that the facts s BLANCE TO	stated therein are	ipany to make the true, correct, a	his report, and	that this report	was prepared ur knowledge.	nder my supervisio
iompany), and the direction and shartune BB. E.	BLANCE TO	taled therein are	e true, correct, a	his report, and complete to	I that this report to the best of my	was prepared ur knowledge. DATE -LOGS REQUIRED IF	nder my supervisio
ompany), and I and direction and GNATURE &	BLANCE TO	stated therein are	b true, correct, and distributions of the distribut	his report, and nd complete to s LOG REQUIRE IALYSIS REQUIRE	I that this report to the best of my	was prepared ur knowledge. DATE -LOGS REQUIRED IF	nder my supervisio
THOVAL DATE	BLANCE TO	taled therein are	DRILLER DORE AN SAMPLES	his report, and complete to see the second s	that this report to the best of my D ED IF RUN D D D	was prepared ur knowledge. DATE -LOGS REQUIRED IF	nder my supervisio
Ompany), and indidirection and shatune B. E.	BLANCE TO	1567	DRILLER DORE AN SAMPLES	nts report, and not complete to secure the secure to secure the secure that secure th	that this report to the best of my D ED IF RUN D D	was prepared ur knowledge. DATE -LOGS REQUIRED IF	nder my supervisio
Ompany), and indication and indicati	BLANCE TO	567	DRILLER CORE AN SAMPLES WATER S.	his report, and complete to story require the story required the story	that this report to the best of my	was prepared ur knowledge. DATE 8	eder my supervisio
OMPANY), and on direction and shartune B. E. SMIT NUMBER	BLANCE TO A TO SERVICE	567 Uplean SFERABLE TO ANY	DRILLER DORE AN SAMPLES WATER S.	S LOG REQUIRE INLYSIS REQUIRE REQUIRED AMPLES REQUIRE	that this report to the best of my	was prepared ur knowledge. DATE S-LOGS REQUIRED IF RILL STEM TEST IN	nder my supervisio
OMPANY), and oddirection and sharture B. E	BLANCE TO SERVICE TO SERVICE NOT THE PERMIT BY THE CO	567 Uplean SFERABLE TO ANY	DRILLER DORE AN SAMPLES WATER S.	S LOG REQUIRE INLYSIS REQUIRE REQUIRED AMPLES REQUIRE	that this report to the best of my	was prepared ur knowledge. DATE S-LOGS REQUIRED IF RILL STEM TEST IN	nder my supervisio
PROVAL OF THIS	BLANCE TO SERVICE TO SERVICE NOT THE PERMIT BY THE CO	567 SFERABLE TO ANY OIL AND GAS COUN	DRILLER DOTHER PERSON OF HE PERMITTEE.	S LOG REQUIRE INLYSIS REQUIRE REQUIRED AMPLES REQUIRE	that this report to the best of my	was prepared ur knowledge. DATE S-LOGS REQUIRED IF RILL STEM TEST IN	HUN FO. REQUIRED IF RUN S OF THE PROPOSET
PROVAL DATE PROVAL DATE PROVAL DATE PROVAL OF THIS ILL NOR ENDORSE at an approved this form by present an approved the proval of the proval data.	That the facts is BLANCE TO AX 7 30 0 PERMIT NOT THE OF MENT OF THE QUI	SFERABLE TO ANY OIL AND GAS COUNTY THAT HAS been obta	DRILLER DOTHER PERSON OF HE PERMITTEE. Of the	S LOG REQUIRE S LOG REQUIRE REQUIRED NOT REQUIRED AMPLES REQUIRE TO ANY OTHER DISTITUTE END	that this report to the best of my the best of my to the best of my to the best of the bes	was prepared unknowledge. DATE LOGS REQUIRED IN HILL STEM TEST IN INTERIOR TEST IN ITEM TEST I	nder my supervisio
OTE THIS LL NOR ENDORSE	That the facts is BLANCE TO AX 7 30 0 PERMIT NOT THE OF MENT OF THE QUI	SFERABLE TO ANY OIL AND GAS COUNTY THAT HAS been obta	DRILLER DOTHER PERSON OF HE PERMITTEE. Of the	S LOG REQUIRE S LOG REQUIRE REQUIRED NOT REQUIRED AMPLES REQUIRE TO ANY OTHER DISTITUTE END	that this report to the best of my the best of my to the best of my to the best of the bes	was prepared unknowledge. DATE LOGS REQUIRED IN HILL STEM TEST IN TE	s of the proposet



MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL

WIIOCOOTH CIETHIO C				
WELL COMPLETION		THE REAL PROPERTY.		PII I MM
WELL COMPLETION	AD DECAMDIE!	INN BEDNET	ANI) W	-11 11114
WELL COMPLETION	ON NECOMPLE	ION HEL ON	WILL II	

(1,7)				m direct	AUL		enetis be	etnyour []	OIL FLORE D	T DEV
NEW WELL W	ORKOVER DEEPEN	☐ PLUG BACK ☐	INJECTION		ESERV	DIR LI DIFFE	ERENT RE	SERVOIR L	OIL LI GAS 2	ZUHT
OWNER	1 - 2 8-	MONTHE RECO		ADDRESS 5	51 E			1 410 6	21.45	
LEASE NAME	os. DRLG. Co.	12000				CANEKIO	4000	, MO 6:		
MCMAHON		7 L. W. 150 - 1-10	ghalry:	1	42	1222 202 10		OR BLOCK AND S	IBVEY	Ř
LOCATION								3N, R3		
NE/4 SE	PERMIT NUI	MBER (OGC-3 OR OGC-3	31)			10240	1	0.17 700		
CASS	26	567								
DATE SPUDDED		L DEPTH REACHED	DATE COMPLE PRODUCE OR DRY H	TED READY TO	0	CEET		IFLAN	ATION OF CASING	FEET
8/25/93	PLUG BACK	TOTAL DEPTH	DRYT	OUZ N	19	1 77/	Corpe	1000)1	NA	
300		N/A		,				Icani	E TOOLS USED (IN	TERVALI
PRODUCING OR INJECT	ION INTERVAL(S) FOR THIS	COMPLETION		ROTARY TOO	ES USER	TO BIR WI	00		11/1	
WAS THIS WELL DIRECT	TONALLY WAS DIREC	TIONAL SURVEY MADE?		WAS COPY O	FDIREC	TIONAL SURVEY	FILED?	DATE	FILED	
DRILLED? NO		NO			vo			DATE	N/A	
	R OTHER LOGS RUN (LIST		/		0	114		7	117/95	ego and en en e
No MEC	HANICAL A	1005-2	CASING	RECORD	0/	7		4.4	r luna rempliche sikist e-	
CASING (REPORT AL	L STRINGS SET IN WEL	L - CONDUCTOR, SU					1 212	va orugus	AMOUNT P	
PURPOSE	SIZE HOLE DRILLED	SIZE CASING SET	WEIGH	T (LB. FT)		PTH SET		KS CEMENT		JLLED
SURFACE	85/8"	7"	19	LB.	5	+01"		KGELAHEA	1 4/1/	- 1
JUMETICE	70									
							-			
				11.00	12.	al and the same of		Contractor	A SA	artille sarrie
	TUBING RECO	and the second section of the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the second section in the second section is the second section in the section is the second section in the section is the second section in the section is the section in the section in the section is the section in the section	- /	TOP		Воттом	LINER RE	CORD .	SCREEN	and a second
SIZE IN.		FEET SIZE	N/INCH		FEET		FEET		and the second s	FEET
11.	PERFORATION RE			er ja dest kan s	ACID,	SHOT, FRAC	TURE, CE	MENT SQUEEZ	E RECORD	oran e of a safet
NUMBER PER FEET	SIZE AND TYPE	SIZE AND TYPE DEPTH INTERVAL			AMOUNT AND KIND OF MATERIAL USED			E C ®	C DEPTH INVERVAL	
				/		11		- U		
		DRy 1	tohF	/V/	A ·		8. E	JUL 2	4 1995	
		1.		/						
			INITIAL P	RODUCTION	V		C	018	Gas Cour	CII
DATE OF FIRST PRODUC	CTION OR INJECTION	PRODUCING METHOD				PUMPING - IF	PUMPING,	SHOW SIZE AND	TYPE OF PUMP.	
		OIL PRODUCED	BUBBB	GAS PRODUC	CED DUID	ING TEST	TWATER F	PRODUCED DURI	NG OIL GRAVIT	Y
DATE OF TEST HOU	JRS TESTED CHOKE SIZ	TEST A	bbls.	GAS PRODU	JEU DUN	MCF	TEST			PI (CORR)
TUBING PRESSURE		CAL TED RATE OF PROT		OIL		GAS	WATER		GAS OIL RA	rio
		///	A	<u> </u>	bbls.	MCF			bbls.	
	STATE WHETHER VENTED, I	. 1/	/A							
METHOD OF DISPOSAL	OF MUD PIT CONTENTS DE LE	RILLED WITH	AIRRO	TARYT	WAT	ER, CUTT	71065	ONLY 11	mud fet	,
OVERFILLED "	TO SURFACE LE	UEL WITH TO	PSOIL, F	PLT ARE	A RE	SEEDED	- Nou	GRASSE	DOUER.	25 1/12
CENTIFICATE. I, THE	DIADENSIGNED, STATE THE	11 17111 1116		The second second second					IS REPORT, AND T	
REPORT WAS PREPARE	S. DPLG CO.,		HAT THE FACT				CT AND C	ONDI ETE TO THE	BEST OF MY KNO	WI FOGE
DATE	ONDER KIT SUPERVISION	SIGNATURE	RO	10		AL P	NSEZ	PROS. DRIE	Co., INC	2.
7/17/9	7.5	0 /	2-	Clau	10	eu ·			Co., INC	
///		Sy: A	S. E. B.	LANCE	277	<u> </u>		1		(Rev 1-86)
MO 780-0215 (1-86)										

NAME OF LEASE	111/00/ 14/19	.,		DATE	7/1995
WELL NUMBER	MAHON, ET U)			1/	/////
2		FROM (S) SECTION LIN	NE AND 330	FEET FROM (E)	SECTION LINE O
SECTION	TOWNSHIP	RANGE	COUNTY		
5	43 N	R 33W	CASS		
THE ELEVATION OF THE	GROUND AT WELL SI	TE IS PERMIT NUMBER (OGC-3	OR OGC-31 NUMBER)	Proposition of the Control of the Co	and it would be required in a first control of the stage
FEET AB	OVE SEA LEVEL.	2056	7		
NAME OF CONTRACTOR OR COMP	NY THAT WILL DO WORK IS:				
COMPANY TOOL	S. PENSE E	BROTHERS DRI	LUNG Co.	INC.	
ADDRESS 800 NE	WBERRY ST.	CITY	,	STATE	ZIP CODE
Box	551	FREDERIC	KTOWN	mo	63645
		EPTH OF PLUGS, WHERE CAS			
WELL DRILLES	TO 300 T.	D., 54'01" OF	SURFACE C	ASING CE	MENTEDTE
		EMENT WITH			
AFTER DRILL	ING INTENT	WAS TO EFF	ECT INJEC	TION WE	ELL BUT
	NT ABANDON				
CUT CASIN	G OFF APP	ROLIMATELY "	& FROM S	URFACE	PLACE
		BASEOF HOL			,
MMEDIATELL	BELOW CH	+ OF CASIN	Q X BAL	ANTE	OF
HOLE TO	RE FILLED	WITH HEAD	y mud, a	R CEN	1ENT DR
BOTH-					
DOUGEDUIS	HAIR ROTA	RY AND WAYE CE LEVEL, S SS COUERED	R CUTTIN	GS QNL	y IN MUP
P.T FILLED	TO SURFA	CE LEVEL .	+ SURFAC	E OF PI	T AREA
PASSED	NOW GRA:	SS COUERED	. NE	CEIV	EN
VESECUE			1.1	JUL 2 4 1998	, ח
			00	Oil & Gas C	ouncil
CERTIFICATE: I, the unde	ersigned, state that I	am the ASSTI	1. P. of 1	hotense Bras	olg Co, Inc
company), and that I am	authorized to make the	nis report; and that this re and complete to the best	port was prepared t		
GNATURE _ & & & (Blancolf	SSY, V. P.	Co., INC.	DATE /	/-
By: B.E.	BLANCE IT, A	SSY. V. P.	IL. P.O. BOX 250, ROLLA MO	///	195



MISSOURI DEPARTMENT OF NATURAL RESOURCES MISSOURI OIL AND GAS COUNCIL

FORM OGC 7

PLUGGING RECORD

W. R. MEMAHON, ET. UX.					SEC.TWP.	RNG OR BLOCK & SURVEY	2			
SEC. IWA						3N-33W	COUNTY	CC		
APPLICATION	TO DRILL THIS	WELL WAS FILED	IN NAME OF:	HAS THIS	WELL EVER PRODUCED	Y		L PRODUCTION)	TDRY?	
0	2			OIL OR G		OIL (BBLS/DAY)		MCF/DAY)		
TENSE	DROS &	DRLG. (o. Tuc	□ v		NIL	N.		DRY HOLE	
/	1	TOTAL DEPTH	,		WELL PRODUCING PRIOR OIL (BBLS/DAY)	GAS (MCF/DAY)	WATER (BBLS	EC	EIVEN	
7/17/	95	300	2		NIL	NIL	NI	100		
Name of each	ch formation co	ontaining oil or						SF	P 1 9 1995	
	which formation		Fluid	content o	each formation	Depth interval of each fo	ormation	Size, kind, & depth of plugs used, giving		
bore at time	of abandonmen	nt.						Ooil & Gas Council		
ulle	OLER		NEGL	IGIE	SLIGHT OIL	000				
1701		1	1 /			228-232			PESCRIBED.	
	9/07/					GELLED MUL		100 7	Rom	
		Su	RFACE	CE	MENTED,	-Rom 295'	UP T	0201	HEAUY	
		G	54ED	MU	FROM 20	I'UP TO 20	O'CE	MEGITA	ED Form 30'	
		To	APPRO.	13'	FROM SURF	HOE, CASING C	Cet OF.	-3' TO	COM SUBTABE	
SIZE	DIITINA	VELL (FT)	PULLED		LEFT IN WELL	GIVE DEPTH AND METHOD		W 77	on surfict	
PIPE	POTIN		(FT)		(FT)	OF PARTING CASING (SHOY, RIPPED, ETC.)		PACKERS A	ND SHOES	
7"	54	00"	NIL		5100"	CASING CUT OFF 3' BELOW) SURF.	NIL			
						5 BELOW SUKF.	W			
		Pine		1/1/4	W Comen	1000	/	0-	. 5 . 0	
			COBP_	W/T.	a compa	My Tools,	BRR	4 FEW.	CE OPERATOR.	
	4									
	LED WITH MUD-L	ADEN FLUID?			INDICATE DEEPEST FOR	MATION CONTAINING FRESH WA	TER			
SEE A	BOUE				NEGLIGIT	BLE FRESH U	PATER	ENCOL	WIRRED	
NAME AN	D ADDRESS	ES OF ADJA	CENT LEA	SE OPE	RATORS OR OWN	IERS OF THE SURFACE				
	NA				ADDR				OM THIS WELL	
0	OPERAT	OR								
TENSE	BROS. DR	16. Co.	INC.	Box 5	51 FREDERI	CKTOWN/MD 63643	+	11/4		
5	· mcm	n.//		2 -	,	, , , , , , , ,		7		
W. A	· 11 -111	HHON_		CD K	EXEL, A	10	1-11	ILE NO	RTHWEST	
METHOD	OF DISPOS	AL	DRILLE	2) 11	ITH POTAR	LAIR RIG C		20 0111		
OF	MUD PIT		DUERE	451	WITHTON	AIR RIG C	EARE	DECEN	TO PIT	
	NTENTS				SSED OUE	P.	The h	CESCE	DED HAP	
NOTE	Au right la	W DOT FIGHTE W	in tose here	132 3102 1	ON ADDITIONAL DETAIL	bus asino la lo asino.			rai da senti	
CERTIFI	CATE > 1	the undersid	ned, state t	hat I am	the ASS 7.	V. P.	of the Per	ise Kyns	Dele Co. Tre	
(Company), and that I am authorized by said company to make this report					t; and that	this report wa	as prepared under my			
SIGNATURE	1205	upervision a	nd direction		0 5	therein are true, correct	t, and com	plete to the b	est of my knowledge.	
8	190	Locar	reels	UP.1	ENSE BROS	DRLG CO TIK	9/	17/95		

54' 1" SURF CSG. 7 SACKS CEMENT 1 SACK GEL AHEAD

0-4 TOPSOIL, SANDY CLAY, LIGHT BROWN

0-7 CLAY, BLOCKY, TAN TO REDDISH-BROWN

7-15 CLAY, BLOCKY, TAN TO GREY

15-50 LIMESTONE, (WINTERSET)

50-54 SHALE, DEWSE, GREY TO LIGHT GREY

54-72 LIMESTONE, (BOTHAM FALLS)

72-77 SHALE, SANDY, GREY TO BLUE GREY

77-85 Limestone, (KAUSAS City)

85-88 SHALE, GREY TO DARK GREY

88-93 LIMESTONE, CHERTHA)

93-226 SHALE TO SILYSTONE TO SANDY SHALE, SLIGHT SANDSTONE STRIATIONS

226-228 SHALE, DARK GREY TO BLACK.


228-232 SAMOSTONE, FINE GRAINED, CALCITIC, NEGLIGIBLE SHOWS
FLUORESCENCE. SUGAT GAS MEASUREMENT, GOOD ODOR,
VERY SLIGHT AMT. OF OIL TO PIT.

232-281 SHALE, GREY, CALCAREOUS

281-300 SHALE, GREY TO BLUEGREY, SLIGHTLY CALCAREOUS-T.D. 300'

SEP 19 1995

Ooil & Gas Council



8° EAST DECL

1"=100' MAG BRGS


FOR: PENSE BROTHERS DRILLING CO. INC.

ADRIAN MO 64720 816-297-4433

THIS IS TO CERTIFY THE REFERENCE TIES SHOWN ARE IN ACCORDANCE WITH CURRENT MINIMUM STANDARDS.

WILLIAM C. LETHCHO LS-1539 8-22-93

S84.6°W 751.4 FEET



WELL IN PLACE MCMAHON #3

> IRON BAR SE COR WINELSEL 5-43-33

